


# Male female Adaptors

# MFA - G - G

Dimensions in mm

DIN Fittings

Male thread : BSPP (G) - ISO 228  
 Female thread : BSPP (G)



Part No.	Pressure	Male Thread G	Female Thread G i	l	i	S1	Ød	Ød3	t 3
MFAG01G02	630 bar	G 1 / 8 A	G 1 / 4	31	8	19	4	14	17.0
MFAG01G03	630 bar	G 1 / 8 A	G 3 / 8	32	8	24	4	14	17.0
MFAG02G01	630 bar	G 1 / 4 A	G 1 / 8	28	12	19	5	18	12.0
MFAG02G03	630 bar	G 1 / 4 A	G 3 / 8	36	12	24	5	18	17.0
MFAG02G04	630 bar	G 1 / 4 A	G 1 / 2	40	12	30	5	18	20.0
MFAG02G06	630 bar	G 1 / 4 A	G 3 / 4	43	12	36	5	18	22.0
MFAG03G01	630 bar	G 3 / 8 A	G 1 / 8	22.5	12	22	--	22	8.0
MFAG03G02	630 bar	G 3 / 8 A	G 1 / 4	36	12	22	8	22	17.0
MFAG03G04	630 bar	G 3 / 8 A	G 1 / 2	41	12	30	8	22	20.0
MFAG03G06	400 bar	G 3 / 8 A	G 3 / 4	44	12	36	8	22	22.0
MFAG04G02	630 bar	G 1 / 2 A	G 1 / 4	24	14	27	--	26	12.0
MFAG04G03	630 bar	G 1 / 2 A	G 3 / 8	36	14	27	12	26	17.0
MFAG04G06	400 bar	G 1 / 2 A	G 3 / 4	46	14	36	12	26	22.0
MFAG04G08	400 bar	G 1 / 2 A	G 1	49	14	41	12	26	24.5
MFAG04G10	250 bar	G 1 / 2 A	G1.1 / 4	53	14	55	10	26	26.5
MFAG06G02	400 bar	G 3 / 4 A	G 1 / 4	26.0	16	32	--	32	12.0
MFAG06G03	400 bar	G 3 / 4 A	G 3 / 8	26.0	16	32	--	32	12.0
MFAG06G04	400 bar	G 3 / 4 A	G 1 / 2	41	16	32	16	32	20.0
MFAG06G08	400 bar	G 3 / 4 A	G 1	51	16	41	16	32	24.5
MFAG06G10	250 bar	G 3 / 4 A	G1 1/4	55	16	55	16	32	26.5
MFAG06G12	250 bar	G 3 / 4 A	G1 1/2	57	16	60	16	32	28.5
MFAG08G02	400 bar	G 1 A	G 1 / 4	29.0	18	41	--	39	12.0
MFAG08G03	400 bar	G 1 A	G 3 / 8	29.0	18	41	--	39	12.0
MFAG08G04	400 bar	G 1 A	G 1 / 2	29.0	18	41	--	39	14.0
MFAG08G06	400 bar	G 1 A	G 3 / 4	47	18	41	20	39	22.0
MFAG08G10	250 bar	G 1 A	G1.1/4	57	18	55	20	39	26.5
MFAG08G12	250 bar	G 1 A	G1.1/2	59	18	60	20	39	28.5
MFAG10G04	250 bar	G1.1/4 A	G 1 / 2	32.0	20	50	--	49	14.0
MFAG10G06	250 bar	G1.1/4 A	G 3 / 4	32.0	20	50	--	49	16.0
MFAG10G08	250 bar	G1.1 / 4 A	G 1	52	20	50	25	49	24.5
MFAG10G12	250 bar	G1.1 / 4 A	G1 1/2	60	20	60	25	49	28.5
MFAG12G04	250 bar	G1.1/2 A	G 1 / 2	36.0	22	55	--	55	14.0
MFAG12G06	250 bar	G1.1/2 A	G 3 / 4	36.0	22	55	--	55	16.0
MFAG12G08	250 bar	G1.1/2 A	G 1	36.0	22	55	--	55	18.0
MFAG12G10	250 bar	G 1 / 2	G1 1/4	58	22	55	32	55	26.5